# T4ØEX

**Explosion proof Telescopic Boom Lift** 



## **Specifications**

Working Height	45 ft	13.72 m
Platform Height	40 ft	12.19 m
Platform Size	36 × 96 in	.91 × 2.44 m.
Platform Capacity	1 ,000 lbs	453.59kg
Overall Width	7 ft 7 in	2.31 m
Stowed Height	8 ft 1 in	2. 47 m
Stowed Lenght	29 ft 3 in	8.91 m
Ground Clearance	1 ft	0.31 m
Tailswing	2 ft 10 in	86 cm
Inside Turning Radius	6 ft 5 in	1.96 m
Outside Turning Radius	15 ft 8 in	4.78 m
Jib Range of Articulation	6 ft, 130°	
Gross Weight (Est)	14,520 lbs	6, 586 kg
Platform Rotation	180° Hydraulic	
Batteries	48v DC 650 Amp-Hr Battery	

\*Specifications Subject to Change

## **Standard Equipment**

- 40 ft Platform Height
- 45 ft Working Height
- 36 x 96 in Platform Size
- 1 ft in Ground Clearance
- 1,000 lb Platform Capacity
- Proportional Hydraulic Controls

### Options

- Soft Touch System
- Fall Arrest System
- FMR System Fault Monitoring and Recording
   \*May Change Capacity

- Platform Battery Condition Indicator
- 650 Amp Hr Battery
- Full Height swing Gate
- Movement Alarm
- 1/2' Airline to Platform

### Safety

- Explosion Proof
- Class I, Division 1, Group D
- Fully Compliant with the Latest UL
- 583 Type EX Standard
- ANSI A92.20 & CSA B354.6
  Complaint

