



### Specifications

Working Height	66 ft	60.12 m
Platform Height	59 ft 8 in	18.19 m
Platform Size	36 × 96 in	.91 × 2.44 m.
Platform Capacity	600 lbs	272.16 kg
Overall Width	8 ft 2 in	2.49 m
Stowed Height	8 ft 2 in	2.5 m
Stowed Length	28 ft 7 in	8.71 m
Ground Clearance	11 in	0.29 m
Tailswing	4 ft	1.22m
Outside Turning Radius <sup>(4WS)</sup>	12 ft 8 in	3.86 m
Outside Turning Radius <sup>(2WS)</sup>	19 ft, 7 in	5.97 m
Jib Range of Articulation	6 ft, 130°	
Gross Weight (Est)	22,900 lbs	10387.27 kg
Platform Rotation	180° Hydraulic	
Batteries	48v DC 750 Amp-Hr Battery	

\*Specifications Subject to Change

### Standard Equipment

- 59 ft 8 in Platform Height
- 66 ft Working Height
- 36 x 96 in Platform Size
- 11 in Ground Clearance
- 600 lb Platform Capacity
- Proportional Hydraulic Controls
- Platform Battery Condition Indicator
- 750 Amp Hr Battery
- Full Height Swing Gate
- Movement Alarm
- 1/2' Airline to Platform

### Options

- Soft Touch System
- Fall Arrest System
- FMR System Fault Monitoring and Recording

\*May Change Capacity

### Safety

- Explosion Proof
- Class I, Division 1, Group D
- Fully Compliant with the Latest L 583 Type EX Standard
- ANSI A92.20 & CSA B354.6 Complaint

